



Brian J. Broker, MD
Laurence V. Cramer, DO
Paul B. Swanson, MD

Carol F. Actor, MD
Geeta A. Bhargave, MD
Daniel P. Nadeau, MD

Post Operative Instructions:

Neck Biopsy

Skin Lesion Excision

Diet as tolerated, start with soft foods and advance to solids.

You have sutures in your neck and they need to stay dry for 24 hours. After that time you will use Neosporin ointment on the sutures twice daily and keep the wound clean with hydrogen peroxide.

Avoid heavy lifting and strenuous exercise for 72 hours.

Medications:

- Keflex 250mg 500mg one pill four times daily
 - Biaxin 500mg XL two pulls daily
 - Percocet one to two tabs by mouth every 3-4 hours for pain as needed
-

Please call office at 610-415-1100 if you experience bleeding from the incision site, discharge or redness around incision site, temperature greater than 101 degrees, increasing pain or swelling in your neck.

Follow up in office in _____ days for suture removal.

Call 610-415-1100 to schedule this appointment.

****Take all medications as prescribed, DO NOT cut, crush or chew unless prescribed that way or instructed by your physician. DO NOT drive or operate any machinery while taking pain medications**

Phoenixville: 826 Main Street, Suite 201 Phoenixville, PA 19460 **Tel:** 610-415-1100 **Fax:** 610-415-1101

Bryn Mawr: 825 Old Lancaster Road, Suite 300 Bryn Mawr, PA 19010 **Tel:** 610-520-0900 **Fax:** 610-415-1101

Pottstown: 5 South Sunnybrook Road, Suite 300 Pottstown, PA 19464 **Tel:** 610-326-3600 **Fax:** 610-415-1101

Roxborough: 525 Jamestown Ave, Suite 205 Philadelphia, PA 19128 **Tel:** 215-487-7200 **Fax:** 610-415-1101

East Norriton: 342 West Germantown Pike, Suite 320 East Norriton, PA 19403 **Tel:** 610-415-1100 **Fax:** 610-415-1101